

Safety Data Sheet

Printing date 06/08/2016

Version Number 1.3

Reviewed on 06/08/2016

1 Identification

Product identifier

Trade name: ***DRY-BLOCK® II Mortar Admixture***

SDS ID Number: 56260

Relevant identified uses of the substance or mixture, and uses advised against
Specialty construction product. Not intended for other uses

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GCP Applied Technologies
62 Whittemore Avenue
Cambridge, MA 02140 USA

GCP Canada, Inc.
294 Clements Road W.
Ajax, Ontario L1S 3C6 Canada

Information department:

Environmental Health & Safety
USA: +1-617-876-1400 (24 hours)
+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts
CAN: 1-905-683-8561 (24 hours)

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

May cause an allergic skin reaction.

Label elements:

Hazard pictograms



GHS07

Warning

Hazard statements

May cause an allergic skin reaction.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves.

IF ON SKIN: Wash with plenty of water.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Cont. on page 2)

USGHS

Safety Data Sheet

Printing date 06/08/2016

Version Number 1.3

Reviewed on 06/08/2016

Trade name: **DRY-BLOCK® II Mortar Admixture**

NFPA ratings (scale 0 - 4)

(Cont. from page 1)



Health = 1
 Fire = 1
 Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = *1
 Flammability = 1
 Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.
 vPvB: Not applicable.

* 3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

Mixture of the substances listed below with additional nonhazardous ingredients.

Mixture of the substances listed below with additional nonhazardous ingredients.

Hazardous components:

533-74-4	dazomet (ISO)	0.1-1.0%
----------	---------------	----------

Additional information: For the wording of the listed hazard phrases refer to section 16.

* 4 First-aid measures

Description of first aid measures

General information: Get medical advice/attention if you feel unwell.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact:

Rinse opened eye for several minutes under running water.

Rinse cautiously with water for several minutes.

Seek immediate medical advice.

After swallowing:

Wash out mouth with water

Rinse mouth.

Do not induce vomiting; immediately call for medical help.

(Cont. on page 3)

USGHS

Safety Data Sheet

Printing date 06/08/2016

Version Number 1.3

Reviewed on 06/08/2016

Trade name: *DRY-BLOCK® II Mortar Admixture*

(Cont. from page 2)

Never give anything by mouth to an unconscious person.

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Special hazards arising from the substance or mixture No further relevant information available.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Sweep up spilled product into receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage**Handling:**

Precautions for safe handling Open and handle receptacle with care.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities**Storage:**

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

(Cont. on page 4)

USGHS

Safety Data Sheet

Printing date 06/08/2016

Version Number 1.3

Reviewed on 06/08/2016

Trade name: **DRY-BLOCK® II Mortar Admixture**

(Cont. from page 3)

Control parameters**Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls**Personal protective equipment:****General protective and hygienic measures:**

Avoid contact with the eyes and skin.

The usual precautionary measures for handling chemicals should be followed.

Protection of hands:

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Eye protection:

Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.



A face shield should also be worn if there is potential exposure to splash or spray.

Body protection:

Protective work clothing

Use personal protective equipment as required.

Take off contaminated clothing.

9 Physical and chemical properties**Information on basic physical and chemical properties****General Information****Appearance:**

Form:	Liquid
Color:	According to product specification
Odor:	Characteristic
Odor threshold:	Not determined.

pH-value (~) at 20 °C (68 °F): 9

Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	200 °C (392 °F)

(Cont. on page 5)

USGHS

Safety Data Sheet

Printing date 06/08/2016

Version Number 1.3

Reviewed on 06/08/2016

Trade name: **DRY-BLOCK® II Mortar Admixture**

(Cont. from page 4)

Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
VOC Content (max):	Not determined.
Vapor pressure:	Not determined.
Density: (~) at 20 °C (68 °F)	1.1 g/cm ³ (9.18 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Molecular weight	Not applicable.
Other information	No further relevant information available.

* **10 Stability and reactivity****Reactivity** Stable under normal conditions.**Chemical stability****Thermal decomposition:** No decomposition if used according to specifications.**Conditions to avoid** No further relevant information available.**Incompatible materials:** No further relevant information available.**Hazardous decomposition products:** Carbon monoxide and carbon dioxide**Additional information:** See section 7 for information on handling, storage and conditions to be avoided.* **11 Toxicological information****Information on toxicological effects****Acute toxicity:****LD/LC50 values relevant for classification:****533-74-4 dazomet (ISO)**

Oral	LD50	640 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)

Primary irritant effect:**on the skin:** No irritating effect expected**on the eye:** No irritating effect expected

(Cont. on page 6)

USGHS

Safety Data Sheet

Printing date 06/08/2016

Version Number 1.3

Reviewed on 06/08/2016

Trade name: **DRY-BLOCK® II Mortar Admixture**

(Cont. from page 5)

Inhalation: No irritating effect expected**Ingestion:****Sensitization:** Sensitization possible through skin contact.**Additional toxicological information:****Carcinogenic categories****IARC (International Agency for Research on Cancer) Human Carcinogenicity:**
Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

None of the ingredients is listed.

NTP (National Toxicology Program)**K–Known to be carcinogenic, R–May reasonably be anticipated to be carcinogenic**

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information**Toxicity****Aquatic toxicity:** No further relevant information available.**Persistence and degradability** No further relevant information available.**Behavior in environmental systems:****Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.**13 Disposal considerations****Waste treatment methods** Comply with Federal, State and local regulations.**Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Cont. on page 7)

USGHS

Safety Data Sheet

Printing date 06/08/2016

Version Number 1.3

Reviewed on 06/08/2016

Trade name: **DRY-BLOCK® II Mortar Admixture**

(Cont. from page 6)

Uncleaned packagings:**Recommendation:** Disposal must be made according to official regulations.**14 Transport information****UN-Number**

DOT, ADR, ADN, IMDG, IATA Not applicable.

UN proper shipping name

DOT, ADR, ADN, IMDG, IATA Not applicable.

Transport hazard class(es)

DOT, ADR, ADN, IMDG, IATA

Class Not applicable.

Packing group

DOT, ADR, IMDG, IATA Not applicable.

Environmental hazards:

Marine pollutant: No

Special precautions for user Not applicable.**Transport/Additional information:****DOT**

Remarks: Not Regulated.

UN "Model Regulation": Not applicable.**15 Regulatory information****SARA (Superfund Amendments and Reauthorization Act)****Section 302/304 (extremely hazardous substances):**

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

None of the ingredients is listed.

SARA Section 312/Tier I & II Hazard Categories:

Health Immediate (acute)	Yes
Health Delayed (chronic)	No
Flammable	No
Reactive	No
Pressure	No

North America Chemical Inventory Status**TSCA (Toxic Substances Control Act - United States):**

All ingredients are listed or exempt from listing unless otherwise noted below.

CEPA (Canadian DSL):

All ingredients are listed or exempt from listing unless otherwise noted below.

Right to Know Ingredient Disclosure:

1592-23-0	Calcium distearate
	Proprietary Polyacrylate NJTSN 801416052
	Proprietary - additive (NJTS 50242 NVE)

(Cont. on page 8)

USGHS

Safety Data Sheet

Printing date 06/08/2016

Version Number 1.3

Reviewed on 06/08/2016

Trade name: **DRY-BLOCK® II Mortar Admixture**

(Cont. from page 7)

7732-18-5 | Water

California Proposition 65**Chemicals known to cause cancer:**

Ethylene oxide

Chemicals known to cause reproductive toxicity for females:

75-21-8 | Ethylene oxide

Chemicals known to cause reproductive toxicity for males:

75-21-8 | Ethylene oxide

Chemicals known to cause developmental toxicity:

67-56-1 | Methanol

75-21-8 | Ethylene oxide

Carcinogenicity Categories**EPA (Environmental Protection Agency)**

None of the ingredients is listed.

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)**Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable**

None of the ingredients is listed.

NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

Volatile Organic Compounds (VOC) reported per the Emission Standards.

If no g/L value is provided this product is not subject to above standard.

16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:

GCP Applied Technologies
62 Whittemore Avenue
Cambridge, MA 02140 USA
USA: +1-617-876-1400 (24 hours)
+1-800-354-5414

Date of preparation / last revision 06/08/2016 / 1.2**The first date of preparation** 10/24/2012**Number of revision times and the latest revision date** 1.3 / 06/08/2016

USGHS