

Safety Data Sheet

Printing date 01/26/2017

Version Number 1.0

Reviewed on 01/26/2017

1 Identification

Product identifier

Trade name: *Silcor® 900MP NA Part A*

SDS ID Number: 2782

Relevant identified uses of the substance or mixture, and uses advised against
Specialty construction product. Not intended for other uses

Details of the supplier of the safety data sheet

Manufacturer/Supplier:
GCP Applied Technologies
62 Whittemore Avenue
Cambridge, MA 02140 USA

GCP Canada, Inc.
294 Clements Road W.
Ajax, Ontario L1S 3C6 Canada

Information department:

Environmental Health & Safety
USA: +1-617-876-1400 (24 hours)
+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts
CAN: 1-905-683-8561 (24 hours)
Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Harmful if inhaled.
Causes skin irritation.
Causes serious eye irritation.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
Suspected of causing cancer.
May cause respiratory irritation.
May cause damage to organs through prolonged or repeated exposure.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

Hazard pictograms



GHS07 GHS08

Danger

Hazard statements

Harmful if inhaled.
Causes skin irritation.

Safety Data Sheet

Printing date 01/26/2017

Version Number 1.0

Reviewed on 01/26/2017

Trade name: **Silcor® 900 MP Component NA Part A**

(Cont. from page 1)

Causes serious eye irritation.
 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 May cause an allergic skin reaction.
 Suspected of causing cancer.
 May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

In case of inadequate ventilation wear respiratory protection.

Do not breathe dust/fume/gas/mist/vapors/spray.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of water.

IF exposed or concerned: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

NFPA ratings (scale 0 - 4)



Health = 2
 Fire = 1
 Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = *2
 Flammability = 1
 Reactivity = 0

Other hazards**Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients**Chemical characterization: Mixture**

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardous components:

| | | |
|------------|--|---------|
| 39420-98-9 | Modified MDI | 50-100% |
| 101-68-8 | Diphenylmethane-4,4'-di-isocyanate | 20-25% |
| 25686-28-6 | 4,4'-Methylenediphenyl diisocyanate, oligomers | 5-10% |
| | Reaction mass of 4,4'-Methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)phenyl isocyanate | 5-10% |

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

4 First-aid measures**Description of first aid measures**

General information: Get medical advice/attention if you feel unwell.

After inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact: Rinse cautiously with water for several minutes.

(Cont. on page 3)

USGHS

Safety Data Sheet

Printing date 01/26/2017

Version Number 1.0

Reviewed on 01/26/2017

Trade name: *Silcor® 900 MP Component NA Part A*

(Cont. from page 2)

After swallowing:

Rinse mouth.

Do NOT induce vomiting.
Immediately call a doctor.

Information for doctor:**Most important symptoms and effects, both acute and delayed**

Allergic reactions

Irritating to eyes.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13 of the SDS.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:**Precautions for safe handling**

Prevent formation of aerosols.

Avoid contact with skin.

Avoid contact with eyes.

Information about protection against explosions and fires: Keep respiratorator available.

Conditions for safe storage, including any incompatibilities**Storage:**

Information about storage in one common storage facility: Keep respiratorator available.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

USGHS
(Cont. on page 4)

Safety Data Sheet

Printing date 01/26/2017

Version Number 1.0

Reviewed on 01/26/2017

Trade name: **Silcor® 900 MP Component NA Part A**

(Cont. from page 3)

8 Exposure controls/personal protection**Additional information about design of technical systems:** No further data; see item 7.**Control parameters****Components with limit values that require monitoring at the workplace:****101-68-8 Diphenylmethane-4,4'-di-isocyanate**

| | |
|-----------|---|
| PEL (USA) | Ceiling limit value: 0.2 mg/m ³ , 0.02 ppm |
| REL (USA) | Long-term value: 0.05 mg/m ³ , 0.005 ppm Ceiling limit value: 0.2* mg/m ³ , 0.02* ppm *10-min |
| TLV (USA) | Long-term value: 0.051 mg/m ³ , 0.005 ppm |

Additional information: The lists that were valid during the creation were used as basis.**Exposure controls****Personal protective equipment:****General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Store protective clothing separately.

Breathing equipment:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Protective gloves**Material of gloves** Rubber gloves**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Safety glasses with side shield protection.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

9 Physical and chemical properties**Information on basic physical and chemical properties****General Information****Appearance:**

| | |
|------------------------|-----------------|
| Form: | Liquid |
| Color: | Light yellow |
| Odor: | Characteristic |
| Odor threshold: | Not determined. |

pH-value (~): Not determined.

(Cont. on page 5)

USGHS

Safety Data Sheet

Printing date 01/26/2017

Version Number 1.0

Reviewed on 01/26/2017

Trade name: **Silcor® 900 MP Component NA Part A**

(Cont. from page 4)

Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: >300 °C (>572 °F)
Flash point: >100 °C (>212 °F)

Flammability (solid, gaseous): Not applicable.

Decomposition temperature: Not determined.
Auto igniting: Product is not selfigniting.
Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: 0.4 Vol %
Upper: 0.0 Vol %
VOC Content (max): Not determined.

Vapor pressure: Not determined.
Density: (~) at 20 °C (68 °F) 1.1 g/cm³ (9.18 lbs/gal)
Relative density Not determined.
Vapor density Not determined.
Evaporation rate Not determined.

Solubility in / Miscibility with Water: Not miscible or difficult to mix.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Dynamic: Not determined.
Kinematic: Not determined.
Molecular weight Not applicable.

Other information No further relevant information available.

10 Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions No further relevant information available.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information**Delayed and immediate effects and chronic effects from short or long term exposure**

May cause damage to organs through prolonged or repeated exposure.

Information on toxicological effects**Acute toxicity:****LD/LC50 values relevant for classification:****101-68-8 Diphenylmethane-4,4'-di-isocyanate**

| | | |
|------------|----------|-----------------------|
| Oral | LD50 | > 10000 mg/kg (rat) |
| Dermal | LD50 | > 9400 mg/kg (rabbit) |
| Inhalation | LC50, 4h | 0.49 mg/l (rat) |

(Cont. on page 6)

USGHS

Safety Data Sheet

Printing date 01/26/2017

Version Number 1.0

Reviewed on 01/26/2017

Trade name: **Silcor® 900 MP Component NA Part A**

(Cont. from page 5)

Primary irritant effect:**on the skin:** Causes skin irritation.**on the eye:** Causes serious eye irritation.**inhalation:** Harmful if inhaled.**Ingestion:**

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

Sensitization:

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Additional toxicological information: Suspected of causing cancer.**Carcinogenic categories****IARC (International Agency for Research on Cancer) Human Carcinogenicity:**
Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

101-68-8 | Diphenylmethane-4,4'-di-isocyanate

3

NTP (National Toxicology Program)**K–Known to be carcinogenic, R–May reasonably be anticipated to be carcinogenic**

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information**Toxicity****Aquatic toxicity:** No further relevant information available.**Persistence and degradability** No further relevant information available.**Behavior in environmental systems:****Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:** Not known to be hazardous to water.**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.**13 Disposal considerations****Waste treatment methods** Comply with Federal, State and local regulations.**Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Cont. on page 7)

USGHS

Safety Data Sheet

Printing date 01/26/2017

Version Number 1.0

Reviewed on 01/26/2017

Trade name: *Silcor® 900 MP Component NA Part A*

(Cont. from page 6)

Uncleaned packagings:**Recommendation:** Disposal must be made according to official regulations.**14 Transport information****UN-Number**

DOT, IMDG, IATA Not applicable.

UN proper shipping name

DOT, IMDG, IATA Not applicable.

Transport hazard class(es)DOT, IMDG, IATA
Class Not applicable.**Packing group**

DOT, IMDG, IATA Not applicable.

Environmental hazards: Not applicable.**Special precautions for user** Not applicable.**Transport/Additional information:****DOT****Remarks:** Not Regulated.**UN "Model Regulation":** Not applicable.**15 Regulatory information****SARA (Superfund Amendments and Reauthorization Act)****Section 302/304 (extremely hazardous substances):**

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

101-68-8 | Diphenylmethane-4,4'-di-isocyanate | 20.0%

SARA Section 312/Tier I & II Hazard Categories:Health Hazard - Carcinogenicity
Health Hazard - Acute toxicity (any route of exposure)
Health Hazard - Skin Corrosion or Irritation
Health Hazard - Respiratory or Skin Sensitization
Health Hazard - Serious eye damage or eye irritation
Health Hazard - Specific target organ toxicity (single or repeated exposure)**North America Chemical Inventory Status****TSCA (Toxic Substances Control Act - United States):**

All ingredients are listed or exempt from listing unless otherwise noted below.

CEPA (Canadian DSL):

All ingredients are listed or exempt from listing unless otherwise noted below.

California Proposition 65**Chemicals known to cause cancer:**

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Cont. on page 8)

USGHS

Safety Data Sheet

Printing date 01/26/2017

Version Number 1.0

Reviewed on 01/26/2017

Trade name: **Silcor® 900 MP Component NA Part A**

(Cont. from page 7)

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenicity Categories**EPA (Environmental Protection Agency)**

101-68-8 | Diphenylmethane-4,4'-di-isocyanate

D, CBD

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)**Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable**

None of the ingredients is listed.

NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

Volatile Organic Compounds (VOC) reported per the Emission Standards. 7.6 g/l / 0.06 lb/gl**16 Other information**

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:

GCP Applied Technologies

62 Whittemore Avenue

Cambridge, MA 02140 USA

USA: +1-617-876-1400 (24 hours)

+1-800-354-5414

Date of preparation / last revision 01/26/2017 / -**The first date of preparation** 01/11/2017**Number of revision times and the latest revision date** 1.0 / 01/26/2017

USGHS

Safety Data Sheet

Printing date 01/26/2017

Version Number 1.0

Reviewed on 01/26/2017

1 Identification

Product identifier

Trade name: *Silcor® 900 MP NA Part B*

SDS ID Number: 2780

Relevant identified uses of the substance or mixture, and uses advised against
Specialty construction product. Not intended for other uses

Details of the supplier of the safety data sheet

Manufacturer/Supplier:
GCP Applied Technologies
62 Whittemore Avenue
Cambridge, MA 02140 USA

GCP Canada, Inc.
294 Clements Road W.
Ajax, Ontario L1S 3C6 Canada

Information department:

Environmental Health & Safety
USA: +1-617-876-1400 (24 hours)
+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts
CAN: 1-905-683-8561 (24 hours)
Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Harmful if swallowed.
Causes severe skin burns and eye damage.
Causes serious eye damage.
May cause damage to organs through prolonged or repeated exposure.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

Hazard pictograms



GHS05 GHS07 GHS08

Danger

Hazard statements

Harmful if swallowed.
Causes severe skin burns and eye damage.
May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

Wash thoroughly after handling.
Wear eye protection / face protection.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Cont. on page 2)

USGHS

Safety Data Sheet

Printing date 01/26/2017

Version Number 1.0

Reviewed on 01/26/2017

Trade name: Silcor® 900 MP NA Part B

(Cont. from page 1)

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
 If swallowed: Rinse mouth. Do NOT induce vomiting.
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 Immediately call a POISON CENTER/doctor.

Hazard description: Corrosive
NFPA ratings (scale 0 - 4)



Health = 3
 Fire = 1
 Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = *3
 Flammability = 1
 Reactivity = 0

Other hazards**Results of PBT and vPvB assessment**

PBT: Not applicable.
vPvB: Not applicable.

3 Composition/information on ingredients**Chemical characterization: Mixture**

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardous components:

| | | |
|------------|-----------------------------|---------|
| 9046-10-0 | Polyoxypropylene diamine | 50-100% |
| 68479-98-1 | Diethylmethylbenzenediamine | 25-30% |

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

4 First-aid measures**Description of first aid measures**

General information: Get medical advice/attention if you feel unwell.

After inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed Harmful if swallowed.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

USGHS

(Cont. on page 3)

Trade name: *Silcor® 900 MP NA Part B*

(Cont. from page 2)

5 Fire-fighting measures

Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Environmental precautions: Avoid release to the environment.

Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to section 13 of the SDS.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Risk of serious damage to eyes.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Keep only in original container.

Prevent formation of aerosols.

Information about protection against explosions and fires: Keep respiratorator available.

Conditions for safe storage, including any incompatibilities

Storage: Reacts with water.

Information about storage in one common storage facility: Keep respiratorator available.

Further information about storage conditions:

Store in a dry place.

Keep receptacle tightly sealed.

Protect from frost.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

(Cont. on page 4)

Trade name: Silcor® 900 MP NA Part B

(Cont. from page 3)

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Store protective clothing separately.

Breathing equipment:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Protective gloves

Material of gloves

PVC or neoprene gloves.

Nitrile rubber.

Eye protection:



Safety glasses with side shield protection.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

| | |
|------------------------|-----------------|
| Form: | Liquid |
| Color: | Light yellow |
| Odor: | Musty. |
| Odor threshold: | Not determined. |

pH-value (~): Not determined.

Change in condition

| | |
|-------------------------------------|-------------------|
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | >300 °C (>572 °F) |
| Flash point: | >100 °C (>212 °F) |

Flammability (solid, gaseous): Not applicable.

| | |
|-----------------------------------|---|
| Decomposition temperature: | Not determined. |
| Auto igniting: | Product is not selfigniting. |
| Danger of explosion: | Product does not present an explosion hazard. |

Explosion limits:
Lower: Not determined.

(Cont. on page 5)

Safety Data Sheet

Printing date 01/26/2017

Version Number 1.0

Reviewed on 01/26/2017

Trade name: *Silcor® 900 MP NA Part B*

(Cont. from page 4)

| | |
|--|--|
| Upper: VOC Content (max): | Not determined. Not determined. |
| Vapor pressure: | Not determined. |
| Density: (~) at 20 °C (68 °F) | 1.1 g/cm ³ (9.18 lbs/gal) |
| Relative density | Not determined. |
| Vapor density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with Water: | Not miscible or difficult to mix. |
| Partition coefficient (n-octanol/water): | Not determined. |
| Viscosity: | |
| Dynamic at 20 °C (68 °F): | 775 mPas |
| Kinematic: | Not determined. |
| Molecular weight | Not applicable. |
| Other information | No further relevant information available. |

10 Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions

Reacts with water.

Reacts with oxidizing agents.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

Delayed and immediate effects and chronic effects from short or long term exposure

May cause damage to organs through prolonged or repeated exposure.

Information on toxicological effects

Acute toxicity:

LD/LC50 values relevant for classification:

9046-10-0 Polyoxypropylene diamine

| | | |
|------|------|-----------------|
| Oral | LD50 | 480 mg/kg (rat) |
|------|------|-----------------|

68479-98-1 Diethylmethylenediamine

| | | |
|--------|-----------|---|
| Oral | LD50 | 738 mg/kg (rat) (OECD Test Guideline 401) |
| Dermal | LD50 | 738 mg/kg (rat) |
| | LD50 | >2000 mg/kg (rat) (OCED Test Guideline 402) |
| | LC50, 48h | 738 mg/kg (fish) |

64742-95-6 Solvent naphtha (petroleum), light aromatic

| | | |
|--|-----------|----------------------------|
| | LC50, 96h | 9.2 mg/l (fish) (OECD 203) |
|--|-----------|----------------------------|

Primary irritant effect:

on the skin: Causes severe skin burns and eye damage.

(Cont. on page 6)

USGHS

Safety Data Sheet

Printing date 01/26/2017

Version Number 1.0

Reviewed on 01/26/2017

Trade name: **Silcor® 900 MP NA Part B**

(Cont. from page 5)

on the eye: Causes serious eye damage.**inhalation:** No irritating effect expected**Ingestion:**May cause damage to organs through prolonged or repeated exposure.
Harmful if swallowed.**Additional toxicological information:****Carcinogenic categories****IARC (International Agency for Research on Cancer) Human Carcinogenicity:**
Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

| | | |
|-----------|--------------|----|
| 1330-20-7 | Xylene | 3 |
| 100-41-4 | Ethylbenzene | 2B |

NTP (National Toxicology Program)**K–Known to be carcinogenic, R–May reasonably be anticipated to be carcinogenic**

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information**Toxicity****Aquatic toxicity:****68479-98-1 Diethylmethylenediamine**

EC10, 16h | 170 mg/l (pseudomonas putida) (DIN 38412 Part 8)

EC50, 72h | <1 mg/l (fish)

EC50, 48h | <1 mg/l (daphnia magna) (OECD Test Guideline 202)

64742-95-6 Solvent naphtha (petroleum), light aromatic

EC50, 72h | 2.6 mg/l (algae) (OECD 201)

EC50, 48h | 3.2 mg/l (daphnia magna) (OECD 202)

Persistence and degradability No further relevant information available.**Behavior in environmental systems:****Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:** Must not reach bodies of water or drainage ditch undiluted or unneutralized.**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.**13 Disposal considerations****Waste treatment methods** Comply with Federal, State and local regulations.

(Cont. on page 7)

USGHS

Safety Data Sheet

Printing date 01/26/2017

Version Number 1.0

Reviewed on 01/26/2017

Trade name: *Silcor® 900 MP NA Part B*

(Cont. from page 6)

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number

DOT, IMDG, IATA UN1760

UN proper shipping name

DOT Corrosive liquids, n.o.s. (Polyoxypropylene diamine)
 IMDG CORROSIVE LIQUID, N.O.S. (Polyoxypropylene diamine, Diethylmethylbenzenediamine),
 MARINE POLLUTANT
 IATA CORROSIVE LIQUID, N.O.S. (Polyoxypropylene diamine)

Transport hazard class(es)**DOT**

Class 8 Corrosive substances
 Label 8

IMDG

Class 8 Corrosive substances
 Label 8

IATA

Class 8 Corrosive substances
 Label 8

Packing group

DOT, IMDG, IATA III

Environmental hazards:

Product contains environmentally hazardous substances: Diethylmethylbenzenediamine
 Marine pollutant: Symbol (fish and tree)
 Special marking (ADR): Symbol (fish and tree)

Special precautions for user Warning: Corrosive substances

Danger code (Kemler): 80

EMS Number: F-A,S-B

Segregation groups Alkalis

Stowage Category A

(Cont. on page 8)

USGHS

Safety Data Sheet

Printing date 01/26/2017

Version Number 1.0

Reviewed on 01/26/2017

Trade name: *Silcor® 900 MP NA Part B*

(Cont. from page 7)

Stowage Code SW2 Clear of living quarters.

Transport/Additional information:**IMDG****Limited quantities (LQ)**

5L

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation":

UN 1760 CORROSIVE LIQUIDS, N.O.S. (POLYOXYPROPYLENE DIAMINE), 8, III, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information**SARA (Superfund Amendments and Reauthorization Act)****Section 302/304 (extremely hazardous substances):**

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

None of the ingredients is listed.

SARA Section 312/Tier I & II Hazard Categories:

Health Hazard - Acute toxicity (any route of exposure)

Health Hazard - Skin Corrosion or Irritation

Health Hazard - Serious eye damage or eye irritation

Health Hazard - Specific target organ toxicity (single or repeated exposure)

North America Chemical Inventory Status**TSCA (Toxic Substances Control Act - United States):**

All ingredients are listed or exempt from listing unless otherwise noted below.

CEPA (Canadian DSL):

All ingredients are listed or exempt from listing unless otherwise noted below.

Right to Know Ingredient Disclosure:

25322-69-4 Polypropylene glycol

Pigment paste/Disperhic PU 7038

California Proposition 65**Chemicals known to cause cancer:**

Ethylbenzene

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenicity Categories**EPA (Environmental Protection Agency)**

1330-20-7 Xylene

I

100-41-4 Ethylbenzene

D

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)**Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable**

None of the ingredients is listed.

NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

(Cont. on page 9)

USGHS

Safety Data Sheet

Printing date 01/26/2017

Version Number 1.0

Reviewed on 01/26/2017

Trade name: *Silcor® 900 MP NA Part B*

(Cont. from page 8)

Volatile Organic Compounds (VOC) reported per the Emission Standards. 7.6 g/l / 0.06 lb/gl**16 Other information**

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:

GCP Applied Technologies
62 Whittemore Avenue
Cambridge, MA 02140 USA
USA: +1-617-876-1400 (24 hours)
+1-800-354-5414

Date of preparation / last revision 01/26/2017 / -**The first date of preparation** 01/11/2017**Number of revision times and the latest revision date** 1.0 / 01/26/2017

USGHS