

## 1 Identification

### Product identifier

Trade name: *Silcor® 900 HA Resin*

SDS ID Number: 2722

**Relevant identified uses of the substance or mixture, and uses advised against**  
Specialty construction product. Not intended for other uses

### Details of the supplier of the safety data sheet

**Manufacturer/Supplier:**  
GCP Applied Technologies  
62 Whittemore Avenue  
Cambridge, MA 02140 USA

GCP Canada, Inc.  
294 Clements Road W.  
Ajax, Ontario L1S 3C6 Canada

### Information department:

Environmental Health & Safety  
USA: +1-617-876-1400 (24 hours)  
+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts  
CAN: 1-905-683-8561 (24 hours)  
Email address: msds.gcp@gcpat.com

**Transport Emergency:** Chemtrec +1-800-424-9300 (24 hours)

## 2 Hazard(s) identification

### Classification of the substance or mixture

Harmful if swallowed.

May cause an allergic skin reaction.

**Label elements:** The product is classified and labeled according to the Globally Harmonized System (GHS)

### Hazard pictograms



GHS07

Warning

### Hazard statements

Harmful if swallowed.

May cause an allergic skin reaction.

### Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

Wash thoroughly after handling.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Dispose of contents/container in accordance with local/regional/national/international regulations.

## Safety Data Sheet

Printing date 12/19/2016

Version Number 2.0

Reviewed on 12/19/2016

Trade name: *Silcor® 900 HA Resin*

(Cont. from page 1)

## NFPA ratings (scale 0 - 4)



Health = 2  
Fire = 1  
Reactivity = 0

## HMIS-ratings (scale 0 - 4)



Health = 2  
Flammability = 1  
Reactivity = 0

## Other hazards

## Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

## \* 3 Composition/information on ingredients

## Chemical characterization: Mixture

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

## Hazardous components:

106264-79-3	6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine	30-50%
136210-32-7	bis(4-(1,2-bis(ethoxycarbonyl)ethy-lamino)-3-methylcyclohexyl)methane	30-50%
623-91-6	diethyl fumarate	1.0-3.0%

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

## \* 4 First-aid measures

## Description of first aid measures

General information: Get medical advice/attention if you feel unwell.

## After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

## After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact: Rinse cautiously with water for several minutes.

## After swallowing:

Rinse mouth.

Do NOT induce vomiting.

## Information for doctor:

Most important symptoms and effects, both acute and delayed

Allergic reactions

Harmful if swallowed.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

USGHS

(Cont. on page 3)

**Trade name:** *Silcor® 900 HA Resin*

(Cont. from page 2)

## 5 Fire-fighting measures

**Special hazards arising from the substance or mixture** No further relevant information available.

**Additional information** Collect contaminated fire fighting water separately. It must not enter the sewage system.

## 6 Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

### Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13 of the SDS.

### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

### Handling:

**Precautions for safe handling** No special precautions are necessary if used correctly.

**Information about protection against explosions and fires:** No special measures required.

### Conditions for safe storage, including any incompatibilities

#### Storage:

**Information about storage in one common storage facility:** No special measures required.

**Further information about storage conditions:** Keep receptacle tightly sealed.

**Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

**Additional information about design of technical systems:** No further data; see item 7.

### Control parameters

#### Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**Additional information:** The lists that were valid during the creation were used as basis.

### Exposure controls

#### Personal protective equipment:

**General protective and hygienic measures:** The usual precautionary measures for handling chemicals should be followed.

#### Breathing equipment:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

**Protection of hands:** Not required.

(Cont. on page 4)

USGHS

## Safety Data Sheet

Printing date 12/19/2016

Version Number 2.0

Reviewed on 12/19/2016

Trade name: *Silcor® 900 HA Resin*

(Cont. from page 3)

**Eye protection:**

Safety glasses with side shield protection.

**Body protection:**

Use personal protective equipment as required.

Take off contaminated clothing.

## 9 Physical and chemical properties

### Information on basic physical and chemical properties

**General Information****Appearance:**

<b>Form:</b>	Liquid
<b>Color:</b>	Grey
<b>Odor:</b>	Amine-like
<b>Odor threshold:</b>	Not determined.

**pH-value (~):** Not determined.

**Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	>150 °C (>302 °F)
<b>Flash point:</b>	Not applicable.

**Flammability (solid, gaseous):** Not applicable.

<b>Decomposition temperature:</b>	Not determined.
<b>Auto igniting:</b>	Product is not selfigniting.
<b>Danger of explosion:</b>	Product does not present an explosion hazard.

**Explosion limits:**

<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>VOC Content (max):</b>	Not determined.

<b>Vapor pressure:</b>	Not determined.
<b>Density: (~) at 20 °C (68 °F)</b>	1.2 g/cm <sup>3</sup> (10.014 lbs/gal)
<b>Relative density</b>	Not determined.
<b>Vapor density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.

**Solubility in / Miscibility with Water:** Not miscible or difficult to mix.

**Partition coefficient (n-octanol/water):** Not determined.

**Viscosity:**

<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
<b>Molecular weight</b>	Not applicable.

**Other information** No further relevant information available.

## 10 Stability and reactivity

**Reactivity** Stable under normal conditions.

(Cont. on page 5)

USGHS

## Safety Data Sheet

Printing date 12/19/2016

Version Number 2.0

Reviewed on 12/19/2016

Trade name: *Silcor® 900 HA Resin*

(Cont. from page 4)

**Chemical stability****Thermal decomposition:** No decomposition if used according to specifications.**Possibility of hazardous reactions** No further relevant information available.**Conditions to avoid** No further relevant information available.**Incompatible materials:** No further relevant information available.**Hazardous decomposition products:** Carbon monoxide and carbon dioxide**11 Toxicological information****Information on toxicological effects****Acute toxicity:****LD/LC50 values relevant for classification:****623-91-6 diethyl fumarate**

Dermal | LD50 | 1780 mg/kg (rat)

**Primary irritant effect:****on the skin:** No irritating effect expected**on the eye:** No irritating effect expected**inhalation:** No irritating effect expected**Ingestion:** Harmful if swallowed.**Sensitization:** May cause an allergic skin reaction.**Additional toxicological information:****Carcinogenic categories****IARC (International Agency for Research on Cancer) Human Carcinogenicity:**  
**Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable**

None of the ingredients is listed.

**NTP (National Toxicology Program)****K–Known to be carcinogenic, R–May reasonably be anticipated to be carcinogenic**

None of the ingredients is listed.

**OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**12 Ecological information****Toxicity****Aquatic toxicity:** No further relevant information available.**Persistence and degradability** No further relevant information available.**Behavior in environmental systems:****Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:** Not known to be hazardous to water.**Results of PBT and vPvB assessment****PBT:** Not applicable.

(Cont. on page 6)

USGHS

## Safety Data Sheet

Printing date 12/19/2016

Version Number 2.0

Reviewed on 12/19/2016

Trade name: *Silcor® 900 HA Resin*

(Cont. from page 5)

vPvB: Not applicable.

**Other adverse effects** No further relevant information available.**13 Disposal considerations****Waste treatment methods** Comply with Federal, State and local regulations.**Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

**Uncleaned packagings:****Recommendation:** Disposal must be made according to official regulations.**14 Transport information****UN-Number**

DOT	Not applicable.
IMDG, IATA	UN3082

**UN proper shipping name**

DOT	Not applicable.
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine), MARINE POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine)

**Transport hazard class(es)**

DOT Class	Not applicable.
-----------	-----------------

IMDG, IATA



Class	9 Miscellaneous dangerous substances and articles
Label	9

**Packing group**

DOT	Not applicable.
IMDG, IATA	III

**Environmental hazards:** Product contains environmentally hazardous substances: 6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine**Marine pollutant:** Symbol (fish and tree)**Special marking (ADR):** Symbol (fish and tree)**Special marking (IATA):** Symbol (fish and tree)**Special precautions for user** Warning: Miscellaneous dangerous substances and articles**Danger code (Kemler):** 90**EMS Number:** F-A,S-F**Stowage Category** A

(Cont. on page 7)

USGHS

## Safety Data Sheet

Printing date 12/19/2016

Version Number 2.0

Reviewed on 12/19/2016

Trade name: *Silcor® 900 HA Resin*

(Cont. from page 6)

**Transport/Additional information:****DOT****Remarks:** Not Regulated.**IMDG****Limited quantities (LQ)**

5L

**Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

**Remarks:**

≤5L, IMDG 2.10.2.7

**IATA****Remarks:**

≤5L, IATA Special Provision 197.

DOT: Not regulated for over the road shipments.

**UN "Model Regulation":**

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (6-METHYL-2,4-BIS(METHYLTHIO)PHENYLENE-1,3-DIAMINE), 9, III

**15 Regulatory information****SARA (Superfund Amendments and Reauthorization Act)****Section 302/304 (extremely hazardous substances):**

None of the ingredients is listed.

**Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):**

None of the ingredients is listed.

**SARA Section 312/Tier I & II Hazard Categories:**

Health Hazard - Acute toxicity (any route of exposure)

Health Hazard - Respiratory or Skin Sensitization

**North America Chemical Inventory Status****TSCA (Toxic Substances Control Act - United States):**

All ingredients are listed or exempt from listing unless otherwise noted below.

**CEPA (Canadian DSL):**

Inventory listing could not be confirmed for one or more substances.

**CEPA (Canadian NDSL):** This product contains an NDSL listed chemical at 1.9 %.**Right to Know Ingredient Disclosure:**

Proprietary pigment ingredient NJTSN801416120

Proprietary solution NJTSN801416119

**California Proposition 65****Chemicals known to cause cancer:**

None of the ingredients is listed.

**Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**Carcinogenicity Categories****EPA (Environmental Protection Agency)**

None of the ingredients is listed.

**TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)****Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable**

None of the ingredients is listed.

(Cont. on page 8)

USGHS

## Safety Data Sheet

Printing date 12/19/2016

Version Number 2.0

Reviewed on 12/19/2016

**Trade name: *Silcor® 900 HA Resin***

(Cont. from page 7)

**NIOSH-Cancer (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

**Volatile Organic Compounds (VOC) reported per the Emission Standards. 3 g/L****16 Other information**

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

**Department issuing SDS:**

GCP Applied Technologies

62 Whittemore Avenue

Cambridge, MA 02140 USA

USA: +1-617-876-1400 (24 hours)

+1-800-354-5414

**Date of preparation / last revision** 12/19/2016 / 1.9**The first date of preparation** 09/22/2016**Number of revision times and the latest revision date** 2.0 / 12/19/2016

USGHS