Safety Data Sheet

Per GHS Standard Format

SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: Firebond Concentrate No. 7460 Clear & Firebond Tints No. 7460-SPCL **Recommended Use of Product**: Bonding Agent for Fireproofing

Information on the Supplier of the Safety Data Sheet

Manufactured For:Emergency Telephone Numbers:Fiberlock Technologies, Inc.CHEM TEL: (U.S.): 1-800-255-3924150 Dascomb Road(Outside the U.S.): 813-248-0585Andover, MA 01810P: 978-342-3755 F: 978-475-6205

SECTION 2: HAZARDS IDENTIFICATION

GHS Classification: Not classified under any GHS hazard classes.

<u>GHS Label Elements</u> Signal Word: None Hazard Pictogram: None Hazard Statement(s): None

PRECAUTIONARY STATEMENTS

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Response: If on skin, wash with plenty of soap and water. If in eyes, rinse cautiously for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If exposed or concerned, get medical advice.

Storage: Keep closures tight and containers upright to prevent leakage. KEEP FROM FREEZING. Product is non-combustible.

Disposal: The coating and any contaminated diking material should be thoroughly air dried and collected into drums. The drums should be sealed and labeled and land-filled or incinerated according to local, regional and national regulations.

Hazards Not Otherwise Classified (NHOC): Not applicable

Unknown Toxicity: Non applicable

SECTION 3: COMPOSITION INFORMATION ON INGREDIENTS

<u>Chemical Name</u> Acrylic resin solids <u>CAS No.</u> Proprietary <u>Weight, %**</u> 40-50

| Bicyclic oxazolidine | 056709-13-8 | 0.1-1 |
|---|-------------|---------|
| Aqua ammonia | 1336-21-6 | 0.1-1.0 |
| *Phthalocyanine blue or green colorants | Proprietary | 0.3-2.0 |

*Only in Firebond Tints No. 7460 SPCL

**The exact concentration of composition has been withheld as a trade secret.

SECTION 4: FIRST AID MEASURES

General Advice

Show this safety data sheet to the doctor in attendance.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.

Skin Contact

Wash skin with soap and water.

Inhalation

Remove to fresh air.

Ingestion

Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Effects

No data available

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media: Not combustible

Specific Hazards Arising from the Chemical: No data available

Hazardous Combustion Products: Carbon oxides

Explosion Data

Sensitivity to mechanical impact No. Sensitivity to static impact No.

Protective Equipment and Precautions for Firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions: Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation. Avoid breathing vapors or mists. Avoid generation of dust.

Other Information: Refer to protective measures listed in Sections 7 & 8

Environmental Precautions

Environmental Precautions: Refer to protective measures listed in Sections 7 & 8.

Methods and Material for Containment and Cleaning Up

Methods for Containment: Prevent further leakage or spillage if safe to do so

Methods for Cleaning Up: Immediately place absorbent material in a sealed water-filled metal container to avoid spontaneous combustion of absorbent material contaminated with this product. Pick up and transfer to properly labeled containers.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Handling: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Avoid breathing vapors or mists. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Take off contaminated clothing and wash before reuse. Keep away from contact with clothing and other combustible materials to avoid fire.

Conditions for Safe Storage, Including any Incompatibilities

Storage: Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.

Incompatible Products: None known based on information supplied.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--|-------------------|---|-------------------|
| Bicyclic oxazolidine | | ********************** Not Established ************************************ | |
| 056709-13-8 Deteology oping blue of | r aroon oploranta | ********************** Not Established ********************** | |
| Phthalocyanine blue or Proprietary | green colorants | NOT ESTABLISHED | |
| Aqua ammonia | TWA 25 ppm | PEL 35 ppm | No data available |

ACGIH TLV: American Conference of Governmental Industrial Hygienists – Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration – Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters

Appropriate Engineering Controls

Engineering Measures: Showers / Eyewash Stations / Ventilation Systems

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection: If splashes are likely to occur, wear safety glasses with side shields (or goggles). None required for consumer use.

Skin and body Protection: Wear protective gloves and protective clothing

Respiratory Protection: No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety practice. Take off contaminated clothing and wash before reuse. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

| Physical State: Appearance: Color: | Liquid Clear (blue o No informatic | • , | Odor: Odor Thresh | old: | Very Slight No information available |
|--|--|---------------|---------------------------|------|---|
| Property | | Values | | Rema | arks/Method |
| pH | | 8.5 | | None | known |
| Melting/freezing poin | ıt | No data avail | able | None | known |
| Boiling point/boiling r | | No data avail | able | None | known |
| Flash Point | 0 | No data avail | able | None | known |
| Evaporation rate | | No data avail | able | None | known |
| Flammability (solid, g | gas) | No data avail | able | None | known |
| Flammability Limit in | | | | | |
| Upper flammability | | No data avail | able | None | known |
| Lower flammability | / limit | No data avail | able | None | known |
| | | | Page 4 of 8 | | |

| Vapor pressure | No data available |
|--|-------------------|
| Vapor density | No data available |
| Specific Water Solubility | Miscible in water |
| Solubility in other solvents | No data available |
| Partition coefficient: n-octanol/water | No data available |
| Autoignition temperature | No data available |
| Gravity | No data available |
| Decomposition temperature | No data available |
| Kinematic viscosity | No data available |
| Dynamic viscosity | No data available |
| Explosive properties | No data available |
| Oxidizing properties | No data available |
| | |

Other Information

Softening Point VOC Content (%) Particle size Particle size distribution No data available No data available No data available No data available

None known None known

None known None known

None known

None known

None known

None known

None known

None known

SECTION 10: STABILITY AND REACTIVITY

Reactivity

No data available

Conditions to Avoid

Excessive heat

Chemical Stability

Stable under recommended storage conditions

Incompatible Materials

None known based on information supplied

Possibility of Hazardous Reactions

None under normal processing

Hazardous Decomposition Products Carbon oxides

Hazardous Polymerization

Hazardous polymerization does not occur

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information: Product does not present an acute toxicity hazard based on known or supplied information

Inhalation: Specific test data for the substance or mixture is not available.

Eye Contact: Specific test data for the substance or mixture is not available.

Skin Contact: Specific test data for the substance or mixture is not available.

Ingestion: Specific test data for the substance or mixture is not available.

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | <i>Inhalation LC50</i> |
|--|------------------|---------------------|--------------------------|
| Bicyclic oxazolidine | 2974 mg/kg (Rat) | 2000 mg/kg (Rabbit) | <1.8-4.0 mg/L (Rat) 4 hr |
| 056709-13-8 Aqua ammonia 1336-21-6 | 350 mg/kg (Rat) | No data available | No data available |

Information on Toxicological Effects

Symptoms: May cause redness and tearing of the eyes, coughing and/or wheezing, itching, rashes and hives.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

Sensitization: May cause sensitization of susceptible persons. May cause sensitization by skin contact.

Mutagenic Effects: No information available

Carcinogenicity: See Section 15

Reproductive Toxicity, STOT Single Exposure, STOT Repeated Exposure: No information available

Chronic Toxicity: No data available

Target Organ Effects: Eyes, respiratory system, skin, gastrointestinal tract (GI) & lungs.

Aspiration Hazard: No information available

Numerical Measures of Toxicity Product Information

No data available

SECTION 12: ECOLOGICAL INFORMATION

Persistence and Degradability

No information available

Bioaccumulation

No data available

Other Adverse Effects

No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal Methods: This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging: Dispose of contents/containers in accordance with local regulations

California Hazardous Waste Codes: 331

SECTION 14: TRANSPORT INFORMATION

| DOT | |
|----------------------|--|
| Proper Shipping Name | |
| Hazard Class | |

Not Regulated Non-Regulated N/A

<u>TDG</u> No data available <u>IATA</u> No data available

IMDG/IMO No data available

SECTION 15: REGULATORY INFORMATION

International Inventories

TSCA Complies DSL All components are listed either on the DSL or NDSL

TSCA – United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** – Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains no chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

| Acute Health Hazard | No |
|-----------------------|----|
| Chronic Health Hazard | No |

| Fire Hazard | No |
|-----------------------------------|----|
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

<u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals (level present should not present a problem):

Chemical Name Bicyclic oxazolidine – 056709-13-8 California Proposition 65 Carcinogen & Reproductive toxicant

U.S. State Right-to-Know Regulations

No data available

International Regulations

None listed



SECTION 16: OTHER INFORMATION

| NFPA | Health Hazards 1 | Flammability 0 | Instability 0 | Physical and Chemical Hazards Personal Protection |
|------|------------------|----------------|-------------------|--|
| HMIS | Health Hazards 2 | Flammability 0 | Physical Hazard 0 | Х |

WARNING! If you scrape, sand or remove old paint, you may release lead dust. LEAD IS TOXIC. EXPOSURE TO LEAD DUST CAN CAUSE SERIOUS ILLNESS, SUCH AS BRAIN DAMAGE, ESPECIALLY IN CHILDREN. PREGNANT WOMEN SHOULD ALSO AVOID EXPOSURE. Wear NIOSH-approved respirator to control lead exposure. Clean up carefully with a HEPA vacuum and wet mop. Before you start, find out how to protect yourself and your family by contacting the National Lead Information Hotline at 1-800-424-LEAD (5323) or log on to: <u>www.epa.gov/lead</u>