

## Safety Data Sheet

Printing date 03/27/2017

Version Number 1.0

Reviewed on 03/27/2017

### 1 Identification

#### Product identifier

Trade name: *DENEPOX 40 Component A*

SDS ID Number: 2477

#### Relevant identified uses of the substance or mixture, and uses advised against

Waterproofing.  
Specialty construction product. Not intended for other uses

#### Details of the supplier of the safety data sheet

**Manufacturer/Supplier:**  
GCP Applied Technologies  
62 Whittemore Avenue  
Cambridge, MA 02140 USA

GCP Canada, Inc.  
294 Clements Road W.  
Ajax, Ontario L1S 3C6 Canada

#### Information department:

Environmental Health & Safety  
USA: +1-617-876-1400 (24 hours)  
+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts  
CAN: 1-905-683-8561 (24 hours)  
Email address: msds.gcp@gcpat.com

**Transport Emergency:** Chemtrec +1-800-424-9300 (24 hours)

### 2 Hazard(s) identification

#### Classification of the substance or mixture

Causes skin irritation.  
Causes serious eye irritation.  
May cause an allergic skin reaction.

#### Label elements:

##### Hazard pictograms



GHS07

Warning

#### Hazard statements

Causes skin irritation.  
Causes serious eye irritation.  
May cause an allergic skin reaction.

#### Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray  
Wear protective gloves / eye protection / face protection.  
Wash thoroughly after handling.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF ON SKIN: Wash with plenty of water.

## Safety Data Sheet

Printing date 03/27/2017

Version Number 1.0

Reviewed on 03/27/2017

Trade name: **DENEPOX 40 Component A**

(Cont. from page 1)

If skin irritation or rash occurs: Get medical advice/attention.  
 If eye irritation persists: Get medical advice/attention.  
 Wash contaminated clothing before reuse.

NFPA ratings (scale 0 - 4)



Health = 2  
 Fire = 1  
 Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = \*2  
 Flammability = 1  
 Reactivity = 0

**Other hazards****Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

**3 Composition/information on ingredients****Chemical characterization: Mixture**

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

**Hazardous components:**

16096-31-4	1,6-bis(2,3-epoxypropoxy)hexane	30-50%
25068-38-6	Reaction product: bisphenol A-(epichlorhydrin); epoxy resin (number average molecular weight $\leq$ 700)	25-30%
55492-52-9	Epoxy resin	20-25%

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

**4 First-aid measures****Description of first aid measures****General information:**

Get medical advice/attention if you feel unwell.

**After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

**After skin contact:**

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

**After eye contact:** Rinse cautiously with water for several minutes.**After swallowing:**

Rinse mouth.

Do NOT induce vomiting.

**Information for doctor:****Most important symptoms and effects, both acute and delayed** Irritating to eyes.**Indication of any immediate medical attention and special treatment needed** No further relevant information available.USGHS  
(Cont. on page 3)

Trade name: *DENEPOX 40 Component A*

(Cont. from page 2)

## 5 Fire-fighting measures

### Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

**Additional information** Collect contaminated fire fighting water separately. It must not enter the sewage system.

## 6 Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

### Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Sweep up spilled product into receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

### Handling:

#### Precautions for safe handling

Prevent formation of aerosols.

Avoid contact with skin.

Avoid contact with eyes.

**Information about protection against explosions and fires:** No special measures required.

### Conditions for safe storage, including any incompatibilities

#### Storage:

**Information about storage in one common storage facility:** No special measures required.

**Further information about storage conditions:** Keep receptacle tightly sealed.

**Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

**Additional information about design of technical systems:** No further data; see item 7.

### Control parameters

#### Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**Additional information:** The lists that were valid during the creation were used as basis.

### Exposure controls

#### Personal protective equipment:

**General protective and hygienic measures:** The usual precautionary measures for handling chemicals should be followed.

(Cont. on page 4)

## Safety Data Sheet

Printing date 03/27/2017

Version Number 1.0

Reviewed on 03/27/2017

Trade name: *DENEPOX 40 Component A*

(Cont. from page 3)

**Breathing equipment:**

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

**Protection of hands:** Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

**Material of gloves** Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

**Eye protection:**

Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.



A face shield should also be worn if there is potential exposure to splash or spray.

**Body protection:**

Use personal protective equipment as required.

Take off contaminated clothing.

## 9 Physical and chemical properties

### Information on basic physical and chemical properties

**General Information****Appearance:**

<b>Form:</b>	Liquid
<b>Color:</b>	Yellowish
<b>Odor:</b>	Characteristic
<b>Odor threshold:</b>	Not determined.

**pH-value (~):** Not determined.

**Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	> 200 °C (> 392 °F)
<b>Flash point:</b>	> 100 °C (> 212 °F)

**Flammability (solid, gaseous):** Not applicable.

<b>Decomposition temperature:</b>	Not determined.
<b>Auto igniting:</b>	Product is not self-igniting.
<b>Danger of explosion:</b>	Product does not present an explosion hazard.

**Explosion limits:**

<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>VOC Content (max):</b>	0.00 %

<b>Vapor pressure:</b>	Not determined.
<b>Density: (~) at 20 °C (68 °F)</b>	1.1 g/cm <sup>3</sup> (9.18 lbs/gal)
<b>Relative density</b>	Not determined.
<b>Vapor density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.

(Cont. on page 5)

USGHS

## Safety Data Sheet

Printing date 03/27/2017

Version Number 1.0

Reviewed on 03/27/2017

Trade name: *DENEPOX 40 Component A*

(Cont. from page 4)

**Solubility in / Miscibility with Water:** Not miscible or difficult to mix.

**Partition coefficient (n-octanol/water):** Not determined.

**Viscosity:**

**Dynamic at 20 °C (68 °F):** 90 mPas

**Kinematic:** Not determined.

**Molecular weight** Not applicable.

**Other information** No further relevant information available.

**10 Stability and reactivity**

**Reactivity** Stable under normal conditions.

**Chemical stability**

**Thermal decomposition:** No decomposition if used according to specifications.

**Possibility of hazardous reactions** No further relevant information available.

**Conditions to avoid** No further relevant information available.

**Incompatible materials:** No further relevant information available.

**Hazardous decomposition products:** Carbon monoxide and carbon dioxide

**Additional information:** See section 7 for information on handling, storage and conditions to be avoided.

**11 Toxicological information****Information on toxicological effects****Acute toxicity:****LD/LC50 values relevant for classification:**

**25068-38-6 Reaction product: bisphenol A-(epichlorhydrin); epoxy resin (number average molecular weight  $\leq$  700)**

LC50, 96h 220 mg/l (algae)

3.6 mg/l (bacterial)

2.4 mg/l (fish)

LC50, 48h 2.8 mg/l (daphnia magna)

**Primary irritant effect:**

**on the skin:** Causes skin irritation.

**on the eye:** Causes serious eye irritation.

**inhalation:** No irritating effect expected

**Sensitization:** May cause an allergic skin reaction.

**Additional toxicological information:****Carcinogenic categories**

**IARC (International Agency for Research on Cancer) Human Carcinogenicity:**  
Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

None of the ingredients is listed.

**NTP (National Toxicology Program)**

**K–Known to be carcinogenic, R–May reasonably be anticipated to be carcinogenic**

None of the ingredients is listed.

(Cont. on page 6)

USGHS

## Safety Data Sheet

Printing date 03/27/2017

Version Number 1.0

Reviewed on 03/27/2017

Trade name: *DENEPOX 40 Component A*

(Cont. from page 5)

**OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**12 Ecological information****Toxicity****Aquatic toxicity:****16096-31-4 1,6-bis(2,3-epoxypropoxy)hexane**

EC50, 96h | 30 mg/l (fish) (OECD 203)

**Persistence and degradability** No further relevant information available.**Behavior in environmental systems:****Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:**

Toxic for aquatic organisms

Also poisonous for fish and plankton in water bodies.

**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.**13 Disposal considerations****Disposal methods:**

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

**Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

**Uncleaned packagings:****Recommendation:** Dispose of contents/container in accordance with local/regional/national/international regulations.**14 Transport information****UN-Number****DOT****IMDG, IATA**

Not applicable.

UN3082

**UN proper shipping name****DOT****IMDG**

Not applicable.

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN  
(Number average MW ≤ 700), MARINE POLLUTANT

(Cont. on page 7)

USGHS

## Safety Data Sheet

Printing date 03/27/2017

Version Number 1.0

Reviewed on 03/27/2017

Trade name: *DENEPOX 40 Component A*

(Cont. from page 6)

**IATA** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN  
(Number average MW  $\leq$  700)

**Transport hazard class(es)**

**DOT Class** Not applicable.

**IMDG, IATA**

**Class Label** 9 Miscellaneous dangerous substances and articles  
9

**Packing group**

**DOT IMDG, IATA** Not applicable.  
III

**Environmental hazards:** Product contains environmentally hazardous substances: Epoxy Resin (Number average MW  $\leq$  700)

**Marine pollutant:** Yes  
Symbol (fish and tree)

**Special marking (ADR):** Symbol (fish and tree)

**Special marking (IATA):** Symbol (fish and tree)

**Special precautions for user** Warning: Miscellaneous dangerous substances and articles

**Danger code (Kemler):** 90

**EMS Number:** F-A,S-F

**Transport/Additional information:**

**DOT Remarks:** Not Regulated.

**IMDG**

**Limited quantities (LQ)** 5L  
**Excepted quantities (EQ)** Code: E1  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 1000 ml

**UN "Model Regulation":** UN3082, Environmentally hazardous substances, liquid, n.o.s. (EPOXY RESIN (Number average MW  $\leq$  700), 9, III

**15 Regulatory information****SARA (Superfund Amendments and Reauthorization Act)****Section 302/304 (extremely hazardous substances):**

None of the ingredients is listed.

**Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):**

None of the ingredients is listed.

**SARA Section 312/Tier I & II Hazard Categories:**

Health Hazard - Skin Corrosion or Irritation

Health Hazard - Respiratory or Skin Sensitization

Health Hazard - Serious eye damage or eye irritation

**North America Chemical Inventory Status****TSCA (Toxic Substances Control Act - United States):**

All ingredients are listed or exempt from listing unless otherwise noted below.

(Cont. on page 8)

USGHS

## Safety Data Sheet

Printing date 03/27/2017

Version Number 1.0

Reviewed on 03/27/2017

Trade name: *DENEPOX 40 Component A*

(Cont. from page 7)

**CEPA (Canadian DSL):**

All ingredients are listed or exempt from listing unless otherwise noted below.

**California Proposition 65****Chemicals known to cause cancer:**

None of the ingredients is listed.

**Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**Carcinogenicity Categories****EPA (Environmental Protection Agency)**

None of the ingredients is listed.

**TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)  
Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable**

None of the ingredients is listed.

**NIOSH-Cancer (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

**Volatile Organic Compounds (VOC) reported per the Emission Standards.**

If no g/L value is provided this product is not subject to above standard.

**16 Other information**

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

**Department issuing SDS:**

GCP Applied Technologies  
62 Whittemore Avenue  
Cambridge, MA 02140 USA  
USA: +1-617-876-1400 (24 hours)  
+1-800-354-5414

**Date of preparation / last revision** 03/27/2017 / -**The first date of preparation** 05/18/2015**Number of revision times and the latest revision date** 1.0 / 03/27/2017

USGHS



## 1 Identification

### Product identifier

Trade name: ***DENEPOX 40 Component B***

SDS ID Number: 2478

### Relevant identified uses of the substance or mixture, and uses advised against

Waterproofing.  
Specialty construction product. Not intended for other uses

### Details of the supplier of the safety data sheet

**Manufacturer/Supplier:**  
GCP Applied Technologies  
62 Whittemore Avenue  
Cambridge, MA 02140 USA

GCP Canada, Inc.  
294 Clements Road W.  
Ajax, Ontario L1S 3C6 Canada

### Information department:

Environmental Health & Safety  
USA: +1-617-876-1400 (24 hours)  
+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts  
CAN: 1-905-683-8561 (24 hours)  
Email address: msds.gcp@gcpat.com

**Transport Emergency:** Chemtrec +1-800-424-9300 (24 hours)

## 2 Hazard(s) identification

### Classification of the substance or mixture

Harmful if swallowed.  
Harmful in contact with skin.  
Causes severe skin burns and eye damage.  
Causes serious eye damage.  
May cause an allergic skin reaction.  
Suspected of damaging fertility or the unborn child.

### Label elements:

#### Hazard pictograms



GHS05 GHS07 GHS08

Danger

### Hazard statements

Harmful if swallowed.  
Harmful in contact with skin.  
Causes severe skin burns and eye damage.  
May cause an allergic skin reaction.  
Suspected of damaging fertility or the unborn child.

## Safety Data Sheet

Printing date 03/27/2017

Version Number 1.0

Reviewed on 03/27/2017

Trade name: **DENEPOX 40 Component B**

(Cont. from page 1)

**Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

If swallowed: Rinse mouth. Do NOT induce vomiting.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**Hazard description:** Corrosive

NFPA ratings (scale 0 - 4)



Health = 3

Fire = 1

Reactivity = 0

**HMIS-ratings (scale 0 - 4)**

Health = \*3

Flammability = 1

Reactivity = 0

**Other hazards****Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

**3 Composition/information on ingredients****Chemical characterization: Mixture****Description:** Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardous components:		
2855-13-2	Isophorondiamine	50-100%
100-51-6	Benzyl alcohol	5.0-10.0%
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	5.0-10.0%
80-05-7	bisphenol A	5.0-10.0%

**Additional information:** Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.**4 First-aid measures****Description of first aid measures****General information:** Get medical advice/attention if you feel unwell.**After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

**After skin contact:**

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

**After eye contact:** Rinse cautiously with water for several minutes.**After swallowing:**

Rinse mouth.

Do NOT induce vomiting.

(Cont. on page 3)

USGHS

## Safety Data Sheet

Printing date 03/27/2017

Version Number 1.0

Reviewed on 03/27/2017

Trade name: *DENEPOX 40 Component B*

(Cont. from page 2)

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

**Information for doctor:**

**Most important symptoms and effects, both acute and delayed** Harmful if swallowed.

**Indication of any immediate medical attention and special treatment needed** No further relevant information available.

**5 Fire-fighting measures**

**Special hazards arising from the substance or mixture** No further relevant information available.

**Additional information** Collect contaminated fire fighting water separately. It must not enter the sewage system.

**6 Accidental release measures****Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

**Methods and material for containment and cleaning up:**

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Use neutralizing agent.

Sweep up spilled product into receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**7 Handling and storage****Handling:****Precautions for safe handling**

Risk of serious damage to eyes.

Prevent formation of aerosols.

**Information about protection against explosions and fires:** No special measures required.

**Conditions for safe storage, including any incompatibilities****Storage:**

**Information about storage in one common storage facility:** No special measures required.

**Further information about storage conditions:** Keep receptacle tightly sealed.

**Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

**Additional information about design of technical systems:** No further data; see item 7.

(Cont. on page 4)

USGHS

\*

## Safety Data Sheet

Printing date 03/27/2017

Version Number 1.0

Reviewed on 03/27/2017

Trade name: *DENEPOX 40 Component B*

(Cont. from page 3)

**Control parameters****Components with limit values that require monitoring at the workplace:****100-51-6 Benzyl alcohol**

WEEL (USA) | Long-term value: 10 ppm

**Additional information:** The lists that were valid during the creation were used as basis.**Exposure controls****Personal protective equipment:****General protective and hygienic measures:** The usual precautionary measures for handling chemicals should be followed.**Breathing equipment:**

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

**Protection of hands:** Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.**Material of gloves** Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.**Eye protection:**

Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.



A face shield should also be worn if there is potential exposure to splash or spray.

**Body protection:**

Use personal protective equipment as required.

Take off contaminated clothing.

**9 Physical and chemical properties****Information on basic physical and chemical properties****General Information****Appearance:**

<b>Form:</b>	Liquid
<b>Color:</b>	Yellowish
<b>Odor:</b>	Amine-like
<b>Odor threshold:</b>	Not determined.

<b>pH-value (~):</b>	Not determined.
----------------------	-----------------

**Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	> 200 °C (> 392 °F)
<b>Flash point:</b>	> 100 °C (> 212 °F)

<b>Flammability (solid, gaseous):</b>	Not applicable.
---------------------------------------	-----------------

<b>Decomposition temperature:</b>	Not determined.
<b>Auto igniting:</b>	Product is not self-igniting.

(Cont. on page 5)

USGHS

## Safety Data Sheet

Printing date 03/27/2017

Version Number 1.0

Reviewed on 03/27/2017

Trade name: *DENEPOX 40 Component B*

(Cont. from page 4)

<b>Danger of explosion:</b>	Product does not present an explosion hazard.
<b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>VOC Content (max):</b>	0.00 %
<b>Vapor pressure:</b>	Not determined.
<b>Density: (~) at 20 °C (68 °F)</b>	0.9 g/cm <sup>3</sup> (7.511 lbs/gal)
<b>Relative density</b>	Not determined.
<b>Vapor density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.
<b>Solubility in / Miscibility with Water:</b>	Not miscible or difficult to mix.
<b>Partition coefficient (n-octanol/water):</b>	Not determined.
<b>Viscosity:</b>	
<b>Dynamic at 20 °C (68 °F):</b>	25 mPas
<b>Kinematic:</b>	Not determined.
<b>Molecular weight</b>	Not applicable.
<b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

**Reactivity** Stable under normal conditions.

**Chemical stability**

**Thermal decomposition:** No decomposition if used according to specifications.

**Possibility of hazardous reactions** No further relevant information available.

**Conditions to avoid** No further relevant information available.

**Incompatible materials:** No further relevant information available.

**Hazardous decomposition products:** Carbon monoxide and carbon dioxide

**Additional information:** See section 7 for information on handling, storage and conditions to be avoided.

## 11 Toxicological information

### Information on toxicological effects

**Acute toxicity:**

**LD/LC50 values relevant for classification:**

#### 2855-13-2 Isophorondiamine

Oral	LD50	1030 mg/kg (rat) (OECD 401)
Dermal	LD50	1840 mg/kg (rabbit)

#### 100-51-6 Benzyl alcohol

Dermal	LD50	1230 mg/kg (rat)
--------	------	------------------

#### 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol

Oral	LD50	2169 mg/kg (rat) (OECD 401)
Dermal	LD50	1242 mg/kg (rabbit)

#### 80-05-7 bisphenol A

Oral	LD50	>2000 mg/kg (rat) (OECD 401)
Dermal	LD50	3250 mg/kg (rat)
	LD50	3000 mg/kg (rabbit)

(Cont. on page 6)

USGHS

## Safety Data Sheet

Printing date 03/27/2017

Version Number 1.0

Reviewed on 03/27/2017

Trade name: **DENEPOX 40 Component B**

(Cont. from page 5)

Inhalation	LC50, 6h	170 mg/m <sup>3</sup> (rat)
	LC50, 96h (dynamic)	9.4 mg/l (fish) (OECD 203)

**Primary irritant effect:****on the skin:**

Harmful in contact with skin.  
Causes severe skin burns and eye damage.

**on the eye:** Causes serious eye damage.

**inhalation:** No irritating effect expected

**Ingestion:** Harmful if swallowed.

**Sensitization:** May cause an allergic skin reaction.

**Additional toxicological information:** Suspected of damaging fertility or the unborn child.

**Carcinogenic categories**

**IARC (International Agency for Research on Cancer) Human Carcinogenicity:**  
**Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable**

None of the ingredients is listed.

**NTP (National Toxicology Program)**

**K–Known to be carcinogenic, R–May reasonably be anticipated to be carcinogenic**

None of the ingredients is listed.

**OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**12 Ecological information****Toxicity****Aquatic toxicity:**

**90-72-2 2,4,6-tris(dimethylaminomethyl)phenol**

EC50, 72h | 84 mg/l (algae) (OECD 201)

**Persistence and degradability** No further relevant information available.

**Behavior in environmental systems:**

**Bioaccumulative potential** No further relevant information available.

**Mobility in soil** No further relevant information available.

**Ecotoxicological effects:**

**Remark:** Harmful to fish

**Additional ecological information:****General notes:**

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Harmful to aquatic organisms

**Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Other adverse effects** No further relevant information available.

## Safety Data Sheet

Printing date 03/27/2017

Version Number 1.0

Reviewed on 03/27/2017

Trade name: *DENEPOX 40 Component B*

(Cont. from page 6)

**13 Disposal considerations****Disposal methods:**

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

**Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

**Uncleaned packagings:**

**Recommendation:** Dispose of contents/container in accordance with local/regional/national/international regulations.

**14 Transport information****UN-Number**

DOT, IMDG, IATA UN1760

**UN proper shipping name**

DOT Corrosive liquids, n.o.s. (Isophorondiamine)  
IMDG, IATA CORROSIVE LIQUID, N.O.S. (Isophorondiamine)

**Transport hazard class(es)**

DOT



Class 8 Corrosive substances  
Label 8

IMDG, IATA



Class 8 Corrosive substances  
Label 8

**Packing group**

DOT, IMDG, IATA III

**Environmental hazards:**

Marine pollutant: No

**Special precautions for user** Warning: Corrosive substances

Danger code (Kemler): 80

EMS Number: F-A,S-B

**Transport/Additional information:**

IMDG

Limited quantities (LQ) 5L

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

(Cont. on page 8)

USGHS

## Safety Data Sheet

Printing date 03/27/2017

Version Number 1.0

Reviewed on 03/27/2017

Trade name: **DENEPOX 40 Component B**

(Cont. from page 7)

UN "Model Regulation": UN1760, Corrosive liquids, n.o.s. (Isophorondiamine), 8, III

**15 Regulatory information****SARA (Superfund Amendments and Reauthorization Act)****Section 302/304 (extremely hazardous substances):**

None of the ingredients is listed.

**Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):**

80-05-7 | bisphenol A 7.5%

**SARA Section 312/Tier I & II Hazard Categories:**

Health Hazard - Acute toxicity (any route of exposure)

Health Hazard - Reproductive toxicity

Health Hazard - Skin Corrosion or Irritation

Health Hazard - Respiratory or Skin Sensitization

Health Hazard - Serious eye damage or eye irritation

**North America Chemical Inventory Status****TSCA (Toxic Substances Control Act - United States):**

All ingredients are listed or exempt from listing unless otherwise noted below.

**CEPA (Canadian DSL):**

All ingredients are listed or exempt from listing unless otherwise noted below.

**California Proposition 65****Chemicals known to cause cancer:**

None of the ingredients is listed.

**Chemicals known to cause reproductive toxicity for females:**

80-05-7 | bisphenol A

**Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**Carcinogenicity Categories****EPA (Environmental Protection Agency)**

None of the ingredients is listed.

**TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)****Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable**

None of the ingredients is listed.

**NIOSH-Cancer (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

**Volatile Organic Compounds (VOC) reported per the Emission Standards.**

If no g/L value is provided this product is not subject to above standard.

**16 Other information**

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

**Department issuing SDS:**

(Cont. on page 9)

USGHS



## Safety Data Sheet

Printing date 03/27/2017

Version Number 1.0

Reviewed on 03/27/2017

**Trade name: *DENEPOX 40 Component B***

(Cont. from page 8)

GCP Applied Technologies  
62 Whittemore Avenue  
Cambridge, MA 02140 USA  
USA: +1-617-876-1400 (24 hours)  
+1-800-354-5414

**Date of preparation / last revision** 03/27/2017 / -

**The first date of preparation** 05/18/2015

**Number of revision times and the latest revision date** 1.0 / 03/27/2017

USGHS