

Printing date 04/10/2017 Version Number 1.0 Reviewed on 04/10/2017

1 Identification

Product identifier

Trade name: SilcorTM Primer EPS Part A

SDS ID Number: 2553

Relevant identified uses of the substance or mixture, and uses advised against

Waterproofing

Specialty construction product. Not intended for other uses

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

Information department:

Environmental Health & Safety USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

Hazard pictograms



Warning

Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves / eye protection / face protection.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of water.

(Cont. on page 2)

(Cont. from page 1)

Safety Data Sheet

Printing date 04/10/2017 Version Number 1.0 Reviewed on 04/10/2017

Trade name: SilcorTM Primer EPS Part A

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

NFPA ratings (scale 0 - 4)



 $\begin{aligned} & Health = 2 \\ & Fire = 1 \\ & Reactivity = 0 \end{aligned}$

HMIS-ratings (scale 0 - 4)



Health = *2 Flammability = 1 Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixture

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardous components:					
25068-38-6	Reaction product: bisphenol A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)	50-100%			
68609-97-2	oxirane, mono[(C12-14-alkyloxy)methyl] derivs	10-20%			

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

4 First-aid measures

Description of first aid measures

General information: Get medical advice/attention if you feel unwell.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Information for doctor:

Most important symptoms and effects, both acute and delayed Irritating to eyes.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

USGHS =

Trade name: SilcorTM Primer EPS Part A

(Cont. from page 2)

5 Fire-fighting measures

Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Sweep up spilled product into receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Prevent formation of aerosols.

Avoid contact with skin.

Avoid contact with eyes.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: Storage temperature 5-30 °C.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

(Cont. on page 4

Trade name: SilcorTM Primer EPS Part A

(Cont. from page 3)

Breathing equipment:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Eye protection:



Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.



A face shield should also be worn if there is potential exposure to splash or spray.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

	• 1	1	1	• 1		4.0	
y Phy	VCICO	and	C	hemical	nrai	nerti	ΔC
$-J \perp \Pi$	y SICal	allu	· U	псииса	DIO		CO

71 hysical and chemical properties				
Information on basic physical	Information on basic physical and chemical properties			
General Information Appearance: Form: Color: Odor: Odor threshold:	Liquid According to product specification Typical. Not determined.			
pH-value (~):	Not determined.			
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	Undetermined. Undetermined. Not applicable.			
Flammability (solid, gaseous):	Not applicable.			
Decomposition temperature: Auto igniting: Danger of explosion:	Not determined. Product is not self-igniting. Product does not present an explosion hazard.			
Explosion limits: Lower: Upper:	Not determined. Not determined.			
Vapor pressure: Density: (~) Relative density Vapor density Evaporation rate	< 1 mbar at 20 °C Not determined. Not determined. Not determined. Not determined.			

(Cont. on page 5)

Printing date 04/10/2017 Version Number 1.0 Reviewed on 04/10/2017

Trade name: SilcorTM Primer EPS Part A

Solubility in / Miscibility with
Water: Not miscible or difficult to mix.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:
Dynamic: Not determined.
Kinematic: Not determined.
Molecular weight Not applicable.

Other information No further relevant information available.

10 Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions Reacts with oxidising agents, alcohols, amines, alkalines.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

Additional information: See section 7 for information on handling, storage and conditions to be avoided.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values relevant for classification:

25068-38-6 Reaction product: bisphenol A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)

LC50, 96h 220 mg/l (algae)

3.6 mg/l (bacterial)

2.4 mg/l (fish)

LC50, 48h 2.8 mg/l (daphnia magna)

Primary irritant effect:

on the skin: Causes skin irritation.

on the eye: Causes serious eye irritation. **inhalation:** No irritating effect expected

Sensitization: May cause an allergic skin reaction.

Additional toxicological information:

Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity:

Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

None of the ingredients is listed.

NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

None of the ingredients is listed.

(Cont. on page 6)

Trade name: SilcorTM Primer EPS Part A

(Cont. from page 5)

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Disposal methods:

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Dispose of contents/container in accordance with local/regional/national/international regulations.

14 Transport information

UN-Number DOT, IMDG, IATA	Not applicable.
UN proper shipping name DOT, IMDG, IATA	Not applicable.
Transport hazard class(es)	
DOT, IMDG, IATA Class	Not applicable.
Packing group DOT, IMDG, IATA	Not applicable.
Environmental hazards:	Not applicable.
Special precautions for user Not applicable.	

(Cont. on page 7)

Trade name: SilcorTM Primer EPS Part A

(Cont. from page 6)

Transport/Additional information:

DOT

Remarks: Not Regulated.

UN "Model Regulation": Not applicable.

15 Regulatory information

SARA (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

None of the ingredients is listed.

SARA Section 312/Tier I & II Hazard Categories:

Health Hazard - Skin Corrosion or Irritation

Health Hazard - Respiratory or Skin Sensitization

Health Hazard - Serious eye damage or eye irritation

North America Chemical Inventory Status

TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

CEPA (Canadian DSL):

All ingredients are listed or exempt from listing unless otherwise noted below.

California Proposition 65

Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenicity Categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)

Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

None of the ingredients is listed.

NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

Volatile Organic Compounds (VOC) reported per the Emission Standards. 97 g/l as applied.

16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA

(Cont. on page 8)

Printing date 04/10/2017 Version Number 1.0 Reviewed on 04/10/2017

Trade name: SilcorTM Primer EPS Part A

USA: +1-617-876-1400 (24 hours)

+1-800-354-5414

Date of preparation / last revision 04/10/2017 / -

The first date of preparation 09/08/2015

Number of revision times and the latest revision date 1.0 / 04/10/2017

(Cont. from page 7)



GRACE CONSTRUCTION & PACKAGING

Page 1/9

Safety Data Sheet

Printing date 05/12/2016 Version Number 1.0 Reviewed on 05/12/2016

1 Identification

Product identifier

Trade name: SilcorTM Primer EPS Part B

SDS ID Number: 2554

Relevant identified uses of the substance or mixture, and uses advised against

Waterproofing.

Specialty construction product. Not intended for other uses

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GCP Applied Technologies 62 Whittemore Avenue

Cambridge, MA 02140 USA

GCP Canada, Inc. 294 Clements Road W.

Ajax, Ontario L1S 3C6 Canada

www.gracedarex.com

Information department:

Environmental Health & Safety USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours)

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Flammable liquid and vapor.

Harmful if swallowed.

Causes severe skin burns and eye damage.

Causes serious eye damage.

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

Hazard pictograms









GHS02

GHS05

GHS07

GHS08

Danger

(Cont. on page 2)

Trade name: SilcorTM Primer EPS Part B

(Cont. from page 1)

Hazard statements

Flammable liquid and vapor.

Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Wear protective gloves / eye protection / face protection.

Keep container tightly closed.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

Hazard description: Flammable

NFPA ratings (scale 0 - 4)



Health = 2 Fire = 3 Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = *2 Flammability = 3 Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with additional nonhazardous ingredients.

Hazardous	Hazardous components:				
64-17-5	Ethanol	5-10%			
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	5-10%			
25620-58-0	Trimethylhexane-1,6-diamine	3.0-5.0%			
94266-48-5	Pine Extract	3.0-5.0%			
80-05-7	bisphenol A	1.0-3.0%			

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

Description of first aid measures

General information: Get medical advice/attention if you feel unwell.

(Cont. on page 3)

■ HSCHS

Trade name: SilcorTM Primer EPS Part B

(Cont. from page 2)

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact:

Take off immediately all contaminated clothing, and wash immediately with plenty of soap and water. Seek medical treatment.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse mouth.

Do not induce vomiting; immediately call for medical help.

Information for doctor:

Most important symptoms and effects, both acute and delayed Irritating to eyes.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.

Special hazards arising from the substance or mixture No further relevant information available.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions: Avoid release to the environment.

Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13 of the SDS.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Risk of serious damage to eyes.

Prevent formation of aerosols.

(Cont. on page 4)

Trade name: SilcorTM Primer EPS Part B

(Cont. from page 3)

Flammable mixtures with air can be formed in emptied containers. Do not puncture, cut, drill, heat or weld uncleaned drums.

Avoid contact with skin.

Information about protection against explosions and fires:



Keep ignition sources away - Do not smoke.

Use only in explosion protected area.

Protect against electrostatic charges.

Use explosion-proof apparatus / fittings and spark-proof tools.

Empty containers may retain hazardous residue, both liquid and vapor.

Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: Storage temperature 5-30 °C.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

- · · · · I · · · · ·				
Components with	Components with limit values that require monitoring at the workplace:			
64-17-5 Ethanol				
PEL (USA GHS)	Long-term value: 1900 mg/m³, 1000 ppm			
REL (USA GHS)	Long-term value: 1900 mg/m³, 1000 ppm			
TLV (USA GHS)	Short-term value: 1880 mg/m³, 1000 ppm			

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Breathing equipment:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Protective gloves **Material of gloves** Nitrile rubber. **Eye protection:** Tightly sealed goggles

(Cont. on page 5)

Version Number 1.0 Printing date 05/12/2016 Reviewed on 05/12/2016

Trade name: SilcorTM Primer EPS Part B

(Cont. from page 4)

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

Physical and chemical proper	ties	
Information on basic physical and chemical properties		
General Information		
Appearance:	7	
Form: Color:	Liquid According to product specification	
Odor:	Typical.	
Odor threshold:	Not determined.	
pH-value (~):	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	35 °C (95 °F)	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	In use, may form flammable/explosive vapor-air mixture.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	< 1 mbar at 20 °C	
Density: (~)	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined. Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with	NT-4 main ail 1 cm al CC main and an air	
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/water): Not determined.		
Viscosity:		
Dynamic:	Not determined.	
Kinematic: Molecular weight	Not determined. Not applicable.	

10 Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Conditions to avoid No further relevant information available.

(Cont. on page 6)

Printing date 05/12/2016 Version Number 1.0 Reviewed on 05/12/2016

Trade name: SilcorTM Primer EPS Part B

(Cont. from page 5)

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50	LD/LC50 values relevant for classification:				
64-17-5 Et	64-17-5 Ethanol				
Dermal	LD50	7060 mg/kg (rat)			
Inhalation	LC50, 4h	20000 mg/l (rat)			
90-72-2 2,4	,6-tris(dimethylamin	omethyl)phenol			
Oral	LD50	2169 mg/kg (rat) (OECD 401)			
Dermal	LD50	1242 mg/kg (rabbit)			
80-05-7 bis	80-05-7 bisphenol A				
Oral	LD50	>2000 mg/kg (rat) (OECD 401)			
Dermal	LD50	3250 mg/kg (rat)			
	LD50	3000 mg/kg (rabbit)			
Inhalation	LC50, 6h	170 mg/m³ (rat)			
	LC50, 96h (dynamic)	9.4 mg/l (fish) (OECD 203)			

Primary irritant effect:

on the skin: Caustic effect on skin and mucous membranes.

on the eve: Causes serious eye damage. inhalation: No irritating effect expected

Ingestion: Harmful if swallowed.

Sensitization: Sensitization possible through skin contact.

Additional toxicological information:

Suspected of damaging fertility or the unborn child.

NOTE: IARC listing of ethanol is specific for ethanol in alcoholic beverages.

Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity:
Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

64-17-5 Ethanol

NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

• USGHS

Printing date 05/12/2016 Version Number 1.0 Reviewed on 05/12/2016

Trade name: SilcorTM Primer EPS Part B

(Cont. from page 6)

12 Ecological information

Toxicity

Aquatic toxicity:

90-72-2 2,4,6-tris(dimethylaminomethyl)phenol

EC50, 72h 84 mg/l (algae) (OECD 201)

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Danger to drinking water if even small quantities leak into the ground.

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number

DOT, ADR, IMDG, IATA UN1866

UN proper shipping name

DOT, ADR
Resin solution
RESIN SOLUTION

Transport hazard class(es)

DOT



Class 3 Flammable liquids

(Cont. on page 8)

USGHS

(Cont. from page 7)

Safety Data Sheet

Printing date 05/12/2016 Version Number 1.0 Reviewed on 05/12/2016

Trade name: SilcorTM Primer EPS Part B

Label 3

ADR, IMDG, IATA



Class 3 Flammable liquids

Label 3

Packing group

DOT, ADR, IMDG, IATA III

Environmental hazards: Not applicable.

Special precautions for user Warning: Flammable liquids

Danger code (Kemler): 30 EMS Number: F-E,S-E Stowage Category A

Transport/Additional information:

ADR

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

IMDG

Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

15 Regulatory information

SARA (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

80-05-7 | bisphenol A | 2.1%

SARA Section 312/Tier I & II Hazard Categories:

Health Immediate (acute)
Health Delayed (chronic)
Yes
Flammable
Reactive
No
Pressure
No

North America Chemical Inventory Status

TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

CEPA (Canadian DSL):

All ingredients are listed or exempt from listing unless otherwise noted below.

California Proposition 65

Chemicals known to cause cancer:

None of the ingredients is listed.

(Cont. on page 9)

Printing date 05/12/2016 Version Number 1.0 Reviewed on 05/12/2016

Trade name: SilcorTM Primer EPS Part B

	(Cont. from page 8)
Chemicals known to cause reproductive toxicity for females:	
80-05-7 bisphenol A	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenicity Categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists) Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable	
Ethanol	A3
NIOSH-Cancer (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
Volatile Organic Compounds (VOC) reported per the Emission Standards. 90.0 g/l / 0.75 lb/gl	

16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA USA: +1-617-876-1400 (24 hours)

+1-800-354-5414

Other Information:

In the previous SDS, version control was by Issue Number and Date. With the change to automated SDS creation software, version control is now based on printing and review dates which appear at the top of each page. Also consequent on this change, amendments have been made in all Sections of this SDS. In future updates to SDS, amended sections will be indicated by an asterisk (*) in the left-hand margin.

Date of preparation / last revision 05/12/2016 / -

The first date of preparation 09/08/2015

Number of revision times and the latest revision date $1.0 \, / \, 05/12/2016$

USGHS