

Safety Data Sheet

Printing date 03/28/2018

Version Number 1.0

Reviewed on 03/28/2018

Page 1/10

## **1 Identification**

#### **Product identifier**

Trade name: Perm-A-Barrier Adhesive Primer

SDS ID Number: 2567

**Relevant identified uses of the substance or mixture, and uses advised against:** Specialty construction product. Not intended for other uses.

#### Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

#### **Information department:**

Environmental Health & Safety USA: +1-617-876-1400 (24 hours) +1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

## 2 Hazard(s) identification

#### Classification of the substance or mixture

Highly flammable liquid and vapor. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause genetic defects. May cause cancer. Suspected of damaging fertility or the unborn child. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

Hazard pictograms



Danger

Hazard statements Highly flammable liquid and vapor.

Reviewed on 03/28/2018

# Trade name: Perm-A-Barrier Adhesive Primer

(Cont. from page 1)
Harmful if swallowed.
Causes skin irritation.
Causes serious eye irritation.
May cause genetic defects.
May cause cancer.
Suspected of damaging fertility or the unborn child.
May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure.
May cause damage to organs through prolonged of repeated exposure. May be fatal if swallowed and enters airways.
Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces No smoking.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Immediately call a poison center/doctor.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Rinse mouth.
Take off contaminated clothing and wash it before reuse.
If eye irritation persists: Get medical advice/attention.
Hazard description: Flammable
NFPA ratings (scale 0 - 4)
$\frac{3}{1000} Health = 3$
Fire = $3$
3  0  Reactivity = 0
HMIS-ratings (scale 0 - 4)
HEALTH *3 Handleh *2
Health = $*3$
FIRE 3 Flammability = 3
REACTIVITY Reactivity = 0
Other hazards
Results of PBT and vPvB assessment
<b>PBT:</b> Not applicable. <b>vPvB:</b> Not applicable.
<b>vi vb.</b> not appreade.

# **3** Composition/information on ingredients

## **Chemical characterization: Mixture**

**Description:** Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardous components:		
79-20-9	methyl acetate	50-100%
98-56-6	4-chloro-alpha,alpha,alpha-trifluorotoluene	10-20%
110-54-3	n-Hexane	10-20%
110-82-7	cyclohexane	5-10%
142-82-5	Heptane	5-10%
64742-89-8	Solvent naphtha (petroleum), light aliph.	5-10%
Additional	information: Non-hazardous ingredients may be listed in Section 15: Right-To-Know disclosure	

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

USGHS (Cont. on page 3)

Reviewed on 03/28/2018

# Trade name: Perm-A-Barrier Adhesive Primer

#### (Cont. from page 2)

Page 3/10

### **4 First-aid measures**

## **Description of first aid measures**

General information: Get medical advice/attention if you feel unwell.

#### After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

#### After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact: Rinse cautiously with water for several minutes.

#### After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Immediately call a doctor.

### **Information for doctor:**

#### Most important symptoms and effects, both acute and delayed

Harmful: may cause lung damage if swallowed.

Harmful if swallowed.

Irritating to eyes.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### **5** Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fire with alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water with full jet

#### Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Combustion products may include toxic gases such as carbon monoxide and smoke.

#### **Advice for firefighters**

Protective equipment: Wear personal protective equipment.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

## 6 Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Environmental precautions: Prevent seepage into sewage system, workpits and cellars.

#### Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13 of the SDS.

(Cont. on page 4) USGHS

Reviewed on 03/28/2018

# Trade name: Perm-A-Barrier Adhesive Primer

## **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

### Handling:

#### **Precautions for safe handling**

Prevent formation of aerosols.

Flammable mixtures with air can be formed in emptied containers. Do not puncture, cut, drill, heat or weld uncleaned drums. Avoid contact with eyes.

#### Information about protection against explosions and fires:



Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Use explosion-proof apparatus / fittings and spark-proof tools.

Empty containers may retain hazardous residue, both liquid and vapor.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

#### Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store in a cool location.

#### Information about storage in one common storage facility:

Use only in explosion protected area.

Keep respiratorator available.

Further information about storage conditions: Keep receptacle tightly sealed.

**Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

**Control parameters** 

Components with limit values that require monitoring at the workplace:
79-20-9 methyl acetate
PEL (USA) Long-term value: 610 mg/m <sup>3</sup> , 200 ppm
REL (USA) Short-term value: 760 mg/m <sup>3</sup> , 250 ppm Long-term value: 610 mg/m <sup>3</sup> , 200 ppm
TLV (USA) Short-term value: 757 mg/m <sup>3</sup> , 250 ppm Long-term value: 606 mg/m <sup>3</sup> , 200 ppm
110-54-3 n-Hexane
PEL (USA) Long-term value: 1800 mg/m <sup>3</sup> , 500 ppm
REL (USA) Long-term value: 180 mg/m <sup>3</sup> , 50 ppm
(Cont. on page 5)

(Cont. from page 3)

Page 4/10

USGHS

Page 5/10

# Trade name: Perm-A-Barrier Adhesive Primer

		(Cont. from page 4)
TLV (USA)	Long-term value: 176 mg/m <sup>3</sup> , 50 ppm	
	Skin; BEI	
110-82-7 cyc	clohexane	
PEL (USA)	Long-term value: 1050 mg/m <sup>3</sup> , 300 ppm	
REL (USA)	Long-term value: 1050 mg/m <sup>3</sup> , 300 ppm	
TLV (USA)	Long-term value: 344 mg/m <sup>3</sup> , 100 ppm	
142-82-5 He	ptane	
PEL (USA)	Long-term value: 2000 mg/m <sup>3</sup> , 500 ppm	
	Long-term value: 350 mg/m <sup>3</sup> , 85 ppm	
	Ceiling limit value: 1800* mg/m <sup>3</sup> , 440* ppm	
	*15-min	
	Short-term value: 2050 mg/m <sup>3</sup> , 500 ppm	
	Long-term value: 1640 mg/m <sup>3</sup> , 400 ppm	
Ingredients	with biological limit values:	
110-54-3 n-I	Hexane	
BEI (USA)	0.4 mg/L	
	Medium: urine	
	Time: end of shift at end of workweek	
	Parameter: 2.5-Hexanedione without hydrolysis	

Additional information: The lists that were valid during the creation were used as basis.

#### **Exposure controls**

#### **Personal protective equipment:**

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

#### **Breathing equipment:**

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves Rubber or other impervious gloves should be worn to prevent skin contact.

Eye protection:



Safety glasses with side shield protection.

#### **Body protection:**

Use personal protective equipment as required.

Take off contaminated clothing.

# 9 Physical and chemical properties

## Information on basic physical and chemical properties

General Information Appearance: Form: Color: Odor: Odor threshold:

Liquid Green Characteristic Not determined.

(Cont. on page 6)

Reviewed on 03/28/2018

Page 6/10

# Trade name: Perm-A-Barrier Adhesive Primer

		(Cont. from page 5)
pH-value (~):	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	Undetermined. 56 °C (132.8 °F) -23 °C (-9.4 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	215 °C (419 °F)	
Decomposition temperature: Auto igniting: Danger of explosion:	Not determined. Product is not self-igniting. In use, may form flammable/explosive vapor-air mixture.	
Explosion limits: Lower:	1.2 Vol % Not applicable.	
Upper: VOC Content (max):	16 Vol % Not applicable. Not applicable.	
Vapor pressure: Density: (~) at 20 °C (68 °F) Relative density Vapor density Evaporation rate	Not determined. 0.9 g/cm <sup>3</sup> (7.5 lbs/gal) Not determined. Not determined. Not determined.	
Solubility in / Miscibility with Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	<b>pr):</b> Not determined.	
Viscosity: Dynamic: Kinematic: Molecular weight	Not determined. Not determined. Not applicable.	
Other information	No further relevant information available.	

# **10 Stability and reactivity**

**Reactivity** Stable under normal conditions.

**Chemical stability** 

Thermal decomposition: No decomposition if used according to specifications.

**Possibility of hazardous reactions** No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: Strong oxidizers.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

# **11** Toxicological information

**Delayed and immediate effects and chronic effects from short or long term exposure** May cause damage to organs through prolonged or repeated exposure.

(Cont. on page 7) USGHS

Trade name: Perm-A-Barrier Adhesive Primer

Reviewed on 03/28/2018

(Cont. from page 6)

Acute toxicity:	
	relevant for classification:
79-20-9 methyl	
Dermal LD50 6	
110-82-7 cycloh	
Dermal LD50 1	,705 mg/kg (rat)
Primary irritan	effect:
on the skin: Cau	es skin irritation.
on the eye: Cau	s serious eye irritation.
inhalation: No i	itating effect expected
Ingestion:	
	se lung damage if swallowed. e to organs through prolonged or repeated exposure. wed.
The product can	<b>logical information:</b> ause inheritable damage. aging fertility or the unborn child.
Carcinogenic ca	egories
Group 1- Positi	onal Agency for Research on Cancer) Human Carcinogenicity: e, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable
None of the ingr	lients is listed.
K-Known to be	oxicology Program) carcinogenic, R–May reasonably be anticipated to be carcinogenic
None of the ingr	lients is listed.
	pational Safety & Health Administration)
None of the ingr	lients is listed.

# **12 Ecological information**

## Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

### **Behavior in environmental systems:**

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

## Additional ecological information:

General notes: Not known to be hazardous to water.

## **Results of PBT and vPvB assessment**

**PBT:** Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

USGHS (Cont. on page 8)

# (Cont. from page 7)

Reviewed on 03/28/2018

# Trade name: Perm-A-Barrier Adhesive Primer

# **13 Disposal considerations**

# **Disposal methods:**

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

## **Recommendation:**



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

## **Uncleaned packagings:**

Recommendation: Dispose of contents/container in accordance with local/regional/national/international regulations.

Transport information		
UN-Number DOT, IMDG, IATA	UN1133	
UN proper shipping name DOT IMDG IATA	Adhesives ADHESIVES (HEPTANES, CYCLOHEXANE), MARINE POLLUTANT ADHESIVES	
Transport hazard class(es)		
DOT		
Class Label	3 Flammable liquids 3	
IMDG		
Class	3 Flammable liquids	
Label	3	
Class Label	3 Flammable liquids 3	
Packing group DOT, IMDG, IATA	П	
<b>Environmental hazards:</b> Marine pollutant:	Product contains environmentally hazardous substances: cyclohexane, Heptane Yes (DOT) Symbol (fish and tree)	
Special marking (ADR):	Symbol (fish and tree)	
- 3, /	• • •	(Cont. on

\*

# Safety Data Sheet

Version Number 1.0

Reviewed on 03/28/2018

# Trade name: Perm-A-Barrier Adhesive Primer

		(Cont. from page
Special precautions for use		
Danger code (Kemler): EMS Number:	30 F-E,S-D	
Stowage Category	A	
Transport/Additional info	rmation:	
DOT		
Remarks:	Special marking with the symbol (fish and tree).	
IMDG		
Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E2	
	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 500 ml	
UN "Model Regulation":	UN 1133 ADHESIVES, 3, II, ENVIRONMENTALLY HAZARDOUS	
5 Regulatory information		
SARA (Superfund Amendments	s and Reauthorization Act)	
Section 302/304 (extremely haza		
None of the ingredients is listed.		
	ents (Chemicals present below reporting threshold are exempt):	
110-54-3 n-Hexane		10.5%
110-82-7 cyclohexane		5.3%
SARA Section 312/Tier I & II H Physical Hazard - Flammable (gas	lazard Categories: ses aerosols liquids or solids)	
Health Hazard - Carcinogenicity		
Health Hazard - Acute toxicity (an		
Health Hazard - Reproductive tox Health Hazard - Skin Corrosion o	r Irritation	
Health Hazard - Serious eye dama	age or eye irritation	
Health Hazard - Specific target or	gan toxicity (single or repeated exposure)	
Health Hazard - Aspiration Hazar Health Hazard - Germ cell mutage		
North America Chemical Inven	-	
TSCA (Toxic Substances Contr	ol Act - United States):	
All ingredients are listed or exemp	pt from listing unless otherwise noted below.	
CEPA (Canadian DSL):		
All ingredients are listed or exemp	pt from listing unless otherwise noted below.	
	stances <0.1% unless noted in Section 3)	
Chemicals known to cause canc	er:	
None of the ingredients is listed.		
Chemicals known to cause reproved None of the ingredients is listed.	oductive toxicity for females:	
Chemicals known to cause repro	aductive toxicity for males:	
None of the ingredients is listed.		
Chemicals known to cause deve	lopmental toxicity:	
None of the ingredients is listed.		
<b>Carcinogenicity</b> Categories		
TLV-ACGIH (THE American (	Conference of Governmental Industrial Hygienists)	
None of the ingredients is listed.	med, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable	

Reviewed on 03/28/2018

## Trade name: Perm-A-Barrier Adhesive Primer

(Cont. from page 9)

USGHS

Page 10/10

## NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

**Volatile Organic Compounds (VOC) reported per the Emission Standards.** If no g/L value is provided this product is not subject to above standard.

135 g/L

### **16 Other information**

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

#### **Department issuing SDS:**

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA USA: +1-617-876-1400 (24 hours) +1-800-354-5414

Date of preparation / last revision 03/28/2018 / -

The first date of preparation 10/09/2015

Number of revision times and the latest revision date 1.0 / 03/28/2018