

Seamless Waterproofing System Plays Lead Role in Bridge Deck Protection



Project	Bridge refurbishment in Midwest US
Waterproofing applicator	Venture Construction
GCP solutions	ELIMINATOR® bridge deck waterproofing system

The Project

The Midwestern United States faces tough winters, during which its roadways are subjected to considerable use of de-icers to make the roads drivable. However, the de-icing products are later dissolved into a solution that leaves the area's bridges vulnerable to corrosion. Water and de-icing salts infiltrate unprotected concrete bridge decks and initiate corrosion in steel reinforcement. To extend the service life of bridge decks, owners of bridge stock are increasingly turning to waterproofing to prevent premature deterioration.

The challenge

Previously, polyurea-based waterproofing systems were used to protect these concrete bridges, but in this case, the highway agency needed quicker return to service for a heavily trafficked highway bridge and turned to Venture Construction for an answer.

"We recommend the ELIMINATOR® waterproofing system because it is unequalled in terms of performance and reliability."

Eric Toman, Regional Manager for Venture Construction.

The solution

A national leader in bridge deck waterproofing, Venture Construction Inc. has long relied on the ELIMINATOR® bridge deck waterproofing system for projects of this type, in part because the system is significantly less moisture sensitive than competing products and has no critical overcoating time between system components. This versatility saves time for the waterproofing applicator and keeps their customers happy by minimizing lane closures during bridge refurbishment.

“We recommend the ELIMINATOR® waterproofing system because it is unequalled in terms of performance and reliability,” said Eric Toman, Regional Manager for Venture Construction.

Prior to applying waterproofing, Venture Construction prepared the concrete substrate by shot blasting. This was followed by primer application to promote adhesion of the waterproofing membrane and to seal the concrete substrate. They then applied two coats of ELIMINATOR® waterproofing. Designed with a two-color application, the ELIMINATOR® system makes it easy to confirm at a glance where the liquid waterproofing has been applied, and provides a visual aid for consistent quality assurance.

GCP’s field technician worked hand in hand with the Venture team throughout the project. Unlike many alternative waterproofing systems that aren’t able to be quality tested until the membrane has cured, the ELIMINATOR® system features on-the-spot quality assurance. These QA tests begin while the waterproofing is being applied, to swiftly verify the thickness of the waterproofing membrane.

After the two coats of waterproofing were applied, the Venture team broadcast aggregate into the top layer of the membrane as it cured. This acted as a shear key for paving, but also enabled cars to drive on the waterproofing membrane even before paving was installed, as necessary. Immediately prior to paving, a tack coat was applied to promote adhesion of paving to the waterproofing layer. When the paving was installed, the asphalt cooled to create both a chemical and a mechanical bond with the waterproofing membrane. This increases overall adhesion and promotes composite action between the deck and paving that, in turn, provides significantly improved overall long-term performance of the deck.

“The ELIMINATOR® system is the premier waterproofing treatment,” said Toman. There are other options, but none of them offer what the ELIMINATOR® system does.”

“The ELIMINATOR® system is the premier waterproofing treatment”

Eric Toman, Regional Manager for Venture

ca.gcpat.com | North America customer service: 1-877-4AD-MIX (1-877-423-6491)

GCP Applied Technologies Inc., 2325 Lakeview Parkway, Suite 475, Alpharetta, GA 30009, USA
GCP Canada, Inc., 294 Clements Road, West, Ajax, Ontario, Canada L1S 3C6.

This document is only current as of the last updated date stated below and is valid only for use in the Canada. It is important that you always refer to the currently available information at the URL below to provide the most current product information at the time of use. Additional literature such as Contractor Manuals, Technical Bulletins, Detail Drawings and detailing recommendations and other relevant documents are also available on www.gcpat.com. Information found on other websites must not be relied upon, as they may not be up-to-date or applicable to the conditions in your location and we do not accept any responsibility for their content. If there are any conflicts or if you need more information, please contact GCP Customer Service.